Houses of Parliament (Committee Room 14) Weds 15 Nov 2015 – Sammy Wilson's Meeting

The Climate Change Act 7 years on

- New understandings - Energy Charges & Saving UK Steel

• What's on recently, ILLEGAL WEATHER, What's happened with world weather that shouldn't happen under the Climate Change Act

- Absurdities of Standard Meteorology and Co2 'Climate Change'
- The Reality of Long-Range Weather & Climate Forecasting: an electromagnetic approach +
- The developing Mini Ice Age / Wild Jet Stream Age What will happen? What must be done?

FURTHER TO:- Royal Thames Yacht Club Dec 2014; Electric Universe Conference Albuquerque USA 20-24 March 2014; International Association of Operative Millers Sousse Tunisia 6-8Nov 2013; Grain & Feed Trades Association Geneva 15-17 May 2013; Agricultural Engineers April 9th 2013 London; Nat Forecasting Conf Nelson Mandela Metropolitan Uni Port Elizabeth SA 19-21 Sept 2012; The Greenest Event Jo'burg 5 June 2012; Submission UK Parlt Select Cttee re Dec 2010; Climate Sci Dep Colorado State Uni USA Jun 2011; Congress Of Brilliant Minds Madrid Oct 2011; Klimat und Energie Munchen Nov 2011...

- Evidence-based science
- Beware of confusing Cause, Effect & 'Association'!



The Long Range Forecasters

What's going on CO2 theory fail 1-16 What works – Solar-Lunar – What's coming 17-38

Piers Corbyn MD www.weatheraction.com , Climate Realist

With Judith Humphrey, Kirill Kuzanyan (IZMIRAN Russ Acad Sci), John Sanderson RCSA, Steve Devine, Matthew Brown

Piers Corbyn is the originator of the Solar Lunar Action Technique of Long Range Forecasting and founder of WeatherAction 177 Borough High St, London SE1 1HRTel: +44 (0)20 7939 9946; +447958713320

The Climate Change Act 7 yrs on - New understanding of Climate Change - Energy charges & saving British Steel - Winter forecast

SEVEN years on from the passing of the Climate Change Act 2008 it is clear weather in the world and UK has not moved in accord with the assumptions of The Act.

Satellite observations show the world has cooled and the (N Hemisphere) Jet Stream moved south and become wild and wavy - the opposite to the expectations of the science involved.

It is now time to REVIEW the application of The Act in accord with Section 6 clause 2 which states as the science & data develops so the CO2 targets may change.



WeatherAction RED WARNING

issued 0z Frid 20th Nov for Britain, Ireland, Scandinavia & N Europe

WeatherAction Long range detailed forecast and pressure maps issued 5 weeks ahead (13Oct) for Britain & Ireland and Europe for the Top level Red weather, **R5**, period **Nov19**-**21+/-1d** are are now being confirmed.


For the last few days standard meteorology has been tailing WeatherAction forecast 37d late.

On 20/21st the Top level solar impacts (already expressed in solar wind particle extra activity and K5 level Geomag-netic activity) will make snow, rain, wind and cold blast impacts notably more severe than standard meteorology expects 1day ahead.


This means the snow will be about twice as deep as standard forecasts expect and be experienced more as blizzards and make travel hazardous; the Arctic flow from the North will be stronger and temperatures lower. Wind chill effects and icing will be dangerous for anyone, such as the homeless, outside for long.

RED WARNING: "The Cold blast & Blizzards 19-21st will be twice as bad as MetO expects" – Piers Corbyn

This is http://www.weatheraction.com/docs/WANews15No26.pdf SUBSCRIBE NOW www.WeatherAction.com



The Mobile flow predicted shows the Atlantic Low tracks into Scandinavia as in Obs / short forecasts. The Italian Low is confirmed for later in the period; see MetO maps Nov 19th and 21st below.






Again, WeatherAction USA Long range forecasts show their world-leading skill in predicting extreme weather which comes in WeatherAction 'TopRed' (**R5**) weather periods.

Predicted 3 weeks ahead. the period's main features:the powerful Low in N/NE USA and associated cold blast and warmth and Low in the far SW, are confirmed

Subscribe NOW! www.WeatherAction.com BI, Eu, USA. WeatherAction world leaders in long range forecasting.



Key Weather Development NOVEMBER 19-21

Weather + winds notably more extreme than standard forecasts

Solar Factors:

Deep active low Great Lakes moving East. High SE + Florida. Gulf states active low. SW active low NW quadrant high pressure. Great Lakes, NE + Midwest extreme blzzards +

thundersnow, tornadoes + total white-out + travel disruption. SE + Florida drv. variable sky. Gulf states + SW major thunderstorms, tornadoes,

floods, giant hail. NW quadrant of USA (Rockies + West) dry, bright, very cold, foctory especially towards center

Weather-Action USA

'TopRed', R5, period 19-21 Nov

"Amazing Forecast"

http://www.weatheraction.com/do cs/WANews15No25.pdf

Breaking the CO2 Global-Warmist Delusion – THE FACTS

How much CO2 is there in the atmosphere? Compare the atmosphere with Big Ben's Tower – 316 ft high



CO2 in the atmosphere is equivalent to

1¹/₄ inches on the top.

Man's contribution is just over One mm within that.

Or 0.035%=> 0.036% ANTS produce TEN times as much CO2 as ALL man's output!



• Termites produce more CO2 each year than all other living things combined.

• Will there be a War on Ants?

• It is estimated that for every human on Earth there may be 1000 pounds of termites.

http://www.termitedetector.com/detection.cfm

**ALSO See other presentation pdfs & Videos via www.weatheraction.com eg http://www.weatheraction.com/displayarticle.asp?a=222&c=1

How do we know it's NOT CO2?

• It's NOT because of the meddling with data, fraud, tricks, fictional claims and suppression of evidence and arguments which oppose the CO2 theory – exposed in CLIMATEGATE

• It's because the CO2 theory FAILS in ALL it's predictions and expected past correlations.

- Climate change is a natural process and is not new!
- Temperatures control CO2 NOT the other way
- No increase in extreme events with CO2
- ALL predictions of CO2 "theory" have failed
- The "theory" itself is based on a conjuring trick

WHY THE CO2 'THEORY' FAILS

1. FACT There is no evidence for the CO2 climate driver proposition in the real world using real data over hundreds of thousands of years. World temperatures do <u>not</u> follow CO2. <u>Give the warmists no quarter!</u>

The world is not warming and has not been doing so for 18 years. Even under fraudulent UN-MetO-NOAA manipulated data the world is not warming. ALL the alarmist predictions of CO2 warmism have failed.

See http://www.weatheraction.com/docs/WANews14No11.pdf and links in Article about BBC-MetO charlatan John Hammond's Science Denialist claims, in WeatherAction blog http://bit.ly/1xKYPrJ (sec3)

FACT Changing CO2 has no effect EVEN the Models used by the Met Office and UN's Climate Committee (the IPCC) show CO2 levels have no effect on the Jet Stream or extremes which come from the Wild Jet stream changes which they fail to predict. It is meteorological fact that the recent very wild weather extremes and contrasts follow from wild Jet Stream behavior. THAT Wild Jet Stream (Mini-Ice-Age) behavior was and is regularly predicted by Piers Corbyn's Solar-Lunar approach and is nothing to do with CO2.

See http://www.weatheraction.com/docs/WANews14No06.pdf & Piers' video <u>http://bit.ly/QS0k34</u> The claim that these extremes are driven by CO2 / man made Climate Change is a lie for which there is no evidence or scientific paper which demonstrates a link in the real world.

2. FACT Even if CO2 had an effect the idea that Man's 4% of total CO2 flux rules the other natural 96% flux in and out of sea/land requires a conspiracy of nature to follow man's activity. This is deranged.


It follows War should be declared on termites which emit 10x Man's CO2 equivalent.

3. FACT The reason why the CO2 atmosphere theory can never work is that the Ocean-atmosphere interface controls the amount of CO2 in air – a warmer ocean emits CO2 and vice versa.

Ocean temperatures CONTROL atmospheric CO2 levels. It is an observed fact in millions of years of data that Ocean temperature changes LEAD atmospheric CO2 changes. There are 2 other reasons why CO2 warmist theory must fail: a) the effect of plants b) Non equilibrium thermodynamics in the atmosphere - ie the assumptions of the 'theory' are nonsense.

The UN (IPCC) Forecasts have comprehensively failed

At the Oct 27 2010 meeting Piers said: "Philip Foster (1st presentation) already gave graphs that show there is NO EVIDENCE going over millions of years that CO2 controls temperature. These graphs shows the IPCC predictions do not accord with the facts. That means the theory fails. The University of East Anglia (CRU) however instead changed the facts. This is unacceptable"



The CO2 Warmist scares have comprehensively failed

THEY TOLD US in 2000: Dangerous climate change within decade or so:

World runaway warming

Droughts & Heatwaves UK

The End of Snow by 2010 UK

More USA Hurricanes

World massive Ice melts

Springs Eu UK USA earlier

Large Sea level rise

WHAT HAPPENED

from around 2007 to 2013

The World got colder While CO2 went up

Floods, cold & Hail

Dramatically more snow

Less USA Hurricanes

MORE World ice, & Dishonest reporting of Arctic

Springs LATE & COLD!

NO - Same slow rise since last Ice Age

NOW THEY SAY WARM IS COLD!!


WeatherAction Myth Buster - Redistribution encouraged


They Changed the FACTS!

Warmists have been fiddling ("selecting") data for years –

• systematically removing stations to make the data look colder in the past & warmer now

• BUT Whatever they do, even with 'new' data the WORLD IS COOLING while CO2 still rises





Close examination (eg see red boxes) of proxy Temp & CO2 data in ice cores show Temperatures lead CO2 changes. Changes across Antarctica termination III (Caillon et al Science March 2003) 240k yr ago show Temperature leads CO2 by on average 800+/-200yrs

Temps drive CO2 as ice ages end. Fast CO2 changes (like now) are hidden



At the end of the last ice age temperature changes LEAD CO2 by 800yrs

Similar leads are in Antarctic Termination III 240kyr ago (Caillon et al Science Mar 03)


CO2 diffuses through ice

WEATHER ACTION


CO2 data points are at best 200yrs apart and show only small variations between points. This is because CO2 is a gas and diffuses into centuries of ice layers. The present CO2 spike will amount to a mere blip in 1,000yrs time.

There is No Evidence that the present CO2 rapid rise is unique.


Inconvenient Truths for GW Orthodoxy!



At a meeting Piers said: "There is just one timescale where CO2 & temperature correlate well, that is on averages of about a hundred years; BUT this shows **TEMPERATURES CONTROL CO2** which changes AFTER temperatures have changed"




Global Temperature and Atmospheric CO2 over 600 Million yrs - No Evidence of CO2 driving temperature




Late Carboniferous to Early Permian time (315 million years ago - 270 million years ago) is the only time period in the last 600 million years when both atmospheric CO2 and temperatures were as low as they are today (Quaternary Period). At no point do temperature and CO2 levels relate. *Temperature after C.R. Scotese <u>http://www.scotese.com/climate.htm</u> CO2 after R.A. Berner, 2001 (GEOCARB III)*

CO2 theory does not work



THEORY of HOTSPOT



Linear trend (*C/decade)

Figure 2: The observed pattern of atmospheric warming, 1979 - 1999, annotated.

What we don't see is a hotspot at the top of the tropical troposphere. There is no hotspot at all at 10 = 12 km up, from 23°N to 23°S: indeed, much or most of the troposphere warmed by more than the region where the hotspot would be.

OBSERVED COLDSPOT

Info Thanks to: http://sciencespeak.com/MissingSignature.pdf by David Evans



The theory of 'Global warming' holds that Man's CO2 causes Global Warming and <u>this</u> causes other Climate Change and extremes.

CO2 - Global Warming - Climate Change

We have heard a lot about weather extremes & 'Climate Change'

Since 1998 CO2 has gone up *but World Temperatures have gone down*.

ALL subsequent years* have been colder than 1998 Or In terms of two year moving averages the peak was 2002/3

*From Official estimates of world temperatures: <u>http://www.cru.uea.ac.uk/cru/data/temperature/hadcrut3vgl.txt</u>

So there are claimed extra effects – 'Climate Change' - without temperature rise to cause them!


AND post Industrial revolution CO2 has NOT caused ANY change that wasn't going to happen anyway!


Jet Stream shifts are the key to weather and climate

- **Q. WHAT CAUSES WEATHER EXTREMES?** (short term) & CLIMATE CHANGE (long term) ?
- A. Jet Stream Changes The changing patterns of weather particularly the track of Low pressures
- **Q.** What Moves The Jet Stream?
- A. (<u>Revolution</u>) Jet Stream changes are <u>driven</u> by Solar particle/magnetic activity & Lunar modulation. <u>CO2 does nothing</u>.
- The Shifts are LARGELY PREDICATABLE by Solar Lunar Action Technique (SLAT)

Odd and Even Solar Cycles


- Odd cycles better sun-earth magnetic connections






Wavy current sheet and hence varying magnetic sectors ~change each week => effects at sector boundary crossings eg on vorticity area index

Odd and Even Solar Cycles Have different electrical effects on Earth



Temperatures (USA) 60 yr Cycle & CO2 1895 to 2008



- Official data - Graph by JD'Aleo Sept 2008 Circulated by Piers Corbyn www.weatheraction.com

Extreme weather – Colder climate - What can be done? Get WeatherWise not OtherWise -- Prepare for wild fluctuations in Commodity markets - Cut losses

Long range forecasts by WeatherAction – (Solar-Lunar Action Technique SLA8c)

- Can be done Are being done world leaders
- Up to 12 months ahead very good at extremes
- Down to detail of a few days over 80% accurate
- Detailed forecasts USA, Europe, Brit+Ire to be extended
- Long Range Tropical storm forecasts very successful
- One-off extremes other parts of world eg Australia, NZ
- Red Weather periods R5, R4... warn of solar effects which bring more extreme events and can correct short range meteorology one or two days ahead (whether or not a long range forecast has been produced or confirmed)
- Cost a trivial amount compared with savings
- Why does it work? How does it work?


MAJOR ECONOMICALLY IMPACTFUL EXTREME WEATHER EVENTS

- West Russian heatwave & its end Aug 2010 (and simultaneous superfloods in Pakistan)
- Supercold UK (coldest in 100 yrs) & Europe Dec 2010
- Very cold USA winter 2010-11 - inc Series of blizzards
- Queensland Tropical cyclone Yasi / floods
- Series of USA tornado spells Spring 2011 - eg the swarm which destroyed Joplin Missouri
- Hurricane Irene

These extreme events were All PREDICTED* in Long-Range using WeatherAction's Solar Lunar Action Technique (SLAT). This is a revolutionary understanding of solar-magnetic and Lunar effects which DRIVE Earth's weather and Climate. * ALL the list of the most extreme USA weather events 2011 named by NOAA were predicted by WeatherAction's SLAT weeks or months ahead

Double sunspot eruption \Rightarrow Sudden Ionospheric Disturbance \Rightarrow Jet stream shifts \Rightarrow Russia heat & Pakistan superdeluges end

On the morning of 14th Aug a TWO sunspot solar flare (C4 class) erupted hurling plasma and X rays to Earth for two hours causing a simultaneous major SID - Sudden Ionospheric Disturbance (X rays travel Sun-Earth in 8 mins) and then the jet stream shifts and dramatic weather changes across the world as predicted. See http://www.youtube.com/watch?v=9M7x-IMj9d8 for video from http://spaceweather.com/archive.php?month=08&day=15&year=2010&view=view.



Apart from the dramatic changes in Europe, Russia and Pakistan there were other major weather events in the period 15-19th Aug associated with the predicted jet stream changes. - There were continuing huge deluges, massive floods and landslips in China – eg http://bbheavy rain c.in/cv9RDt 15th Aug

Double Sunspot superfast very powerful coronal ejection 2010 14th Aug 10:05z <u>http://www.youtube.com/watch?v=9M7x-IMj9d8</u> Sudden lonospheric Disturbance peaks 15mins later Jet Stream dramatic shift starts 12hr later. Thunderfloods hit St Petersburg afternoon 15th. Extreme events around world. SEE <u>http://squall.sfsu.edu/scripts/nhemjet_archloop.html</u> CHOOSE start 13th Aug 00z, 5days, 6hrs steps

World jet stream shift ends Russia heatwave + Pakistan Superdeluges • Solar-driven forecasts confirmed

• Could world wheat crisis have been averted?

• Will Russia & Pakistan be hit again next year?

• Is SatelliteGate the end of Global-Warming religion?

Long-range forecasts by Piers Corbyn using his Solar-magnetic and Lunar effects Technique correctly forecast the West Russia heatwave and correctly predicted when the Jet stream would undergo a dramatic world shift and end both the Russia heatwave & Pakistan SuperDeluges.

Russia heat ends as forecast

Piers said "We are very pleased with this result. I explained on Russia Today tv <u>http://bit.lv/95jvqf</u> that these events were driven by solar-magnetic lunar cycles which is why there were similar events around 132 years earlier. We warned (eg in **video** of 31 July <u>http://bit.lv/bFpB2z</u>) that the most significant extreme events across the **world** this August would be around 15th/16th August - as part of **15th-19th RED WARNING** - eg EuroMaps & Brit /Ire forecasts <u>http://bit.lv/bNMJ77</u> and part of a general world shift in the Jet-stream. There were many very dramatic events in St Peturburg 15th August starting the end of the heatwave <u>http://bit.lv/bN377</u> in a manner which closely matches our forecast - **see Video by Nina Ridge** <u>http://bit.lv/bGHNr2</u> & <u>http://bit.lv/a92ICd</u>

There were also major deluges in France, across Europe and in SE England Channel 4 TV's big brother house flooded on 18^{th} Aug <code>http://bit.ly/cRT0VP</code>.

The dramatic penetration of the jet stream (grey bits) into West Russia on 16th-18th is clear in the jet stream flicker-movie <u>http://bit.ly/dtjalp</u> (archives)

Pakistan floods drop as forecast

"In Pakistan, as we warned, there were 'last blast' extra deluges around 15^{th} which caused new floods – eg in Dadu-Moro <u>http://bit.ly/cJqfw7</u> (click) and in next day or so then a general change to less deluges in Pakistan is following as the Low pressure in the Arabian sea filled {see 18^{th} Aug Pressure map - <u>http://bit.ly/9wBJFb</u> compared to situation around Aug 2^{nd} <u>http://bit.ly/buluP4</u> } and the whole world jet stream transforms to a new state as predicted by the Solar Lunar Action Technique.

We TOLD YOU so – It's NOT CO2! Piers Corbyn astrophysicist of WeatherAction

New solar

action hits ionosphere

& forces

iet stream

shift see over

predicted the heatwaves in East Europe & WestRussia in his **Euromaps** long range forecasts - <u>http://bit.ly/bNMJ77</u>

On 3 Aug Piers warned - see

<u>http://bit.ly/beo5YQ</u> - that **the deadly heat in** West Russia & deadly floods in Pakistan would largely continue until mid-August, then decline and next decrease sharply.

On 8 Aug he gave more detail: <u>http://bit.ly/cldTSa</u> "(85% confidence) both the Pakistan deluges and the West Russia heatwave will continue to mid August and probably INTENSIFY for a day or so around the dates August 8th, Aug 10th and most notably Aug14th/15th after which both the Pakistan deluges and Russia heat will markedly decline in ferocity. For Pakistan however significant floods downstream in the great rivers will continue for about 5 days.




In line with Piers Corbyn's detailed long range forecast storms battered St Petersburg Sunday 15th Aug before moving towards Moscow as the jet stream changed as predicted. In Pakistan there were also extra deluges then marked abatement of rain as weather patterns changed as predicted.

http://www.weatheraction.com/docs/WANews10No31.pdf

Holding pattern

In the second half of July, a blocking event froze the meanders of the jet stream over turage and Asia. The pattern ved to be trene weather across the continents



The landslide in Puladi, a settlement in Yunnan province, was the latest of a succession of natural disasters to have struck China this summer after torrential downpours unleashed floods and dislodged hillsides.

Accuweather reported major thunderstorms (+ tornado risk) in period 15-19th in USA Midwest, Gulf, Ohio, Central plains, Boston-Washington, Oklahoma, N Plains, Louisiana

Lighting downed a plane on San Andres island Colombia (in Gulf off Nicaragua) 16Aug http://bit.ly/9ANEtJ





http://www.telegraph.co.uk/news/picturegalleries/worlc news/7954351/China-extreme-weather-floods-andlandslides-in-pictures.html?image=8

British & European Winter 2010-11

- UK coldest Dec for 100 yrs, as forecast by WeatherAction Nov 2010. First Forecast for snowy Dec issued May 2010

WEATHERACTION

2010 December 3-30d ahead Forecast Britain & Ireland

Produced under Solar Lunar Action Technique SLAT5 – Summary - Detailed weather periods - Maps - Graphs Including Solar-based likely corrections to apply to Short-range Standard Meteorology Forecasts

Weather Action are the only long range forecasters with independently proven published skill. See www.weatheraction.com

The Long Range Forecasters

For Short Range localised forecasts - Weathernet personal premium rate service on 09061100445

2010 DECEMBER 3-30d ahead Brit & ire SLAT5 forecast issued 29th Nov. Essence consistant with First Look Summary June 2010. News content is PUBLIC, otherwise publication of details in media or web must be agreed through WeatherAction. © Weather Action Tel +44(0)20 7939 9946

DECEMBER 2010

Confidential

Extremely cold and exceptionally snowy

Probably the coldest* December for 100 years (80% confidence) and very likely (90% confidence) to be in the 3

coldest Decembers in 100 years. ("using Central England Temperature measure)

Frequent snow and blizzards at times especially in central and East / NE England on Northerly and North/ Easterly winds.

Frequent, black ice and freezing fog

· Extremely sharp frosts with record low temperatures.

• Scotland probably drier than other parts and extremely cold especially East & central parts.

 West Ireland & far SW England less cold with short milder South-Westerly flow at times.

Obviologia	Widespread blizzards & snow deluges; probably snow in all parts of Britain & Ireland
Christmas	over Christmas / Boxing Day.
New Year	New Year's Eve probably dry, bright and bitterly cold.
New real	Snow returns on New Year's Day.

Key Pressure developments Dec 2010

Britain & Ireland will be often dominated by high pressure over Sootland or to the North of Sootland connected either to High pressure over Scandinavia or (probably less often) Arctic/Greenland while active low pressures dominate South Europe / Biscay and also attack From the West at times but are largely blocked and take a local Jet Stream South path.



Snow deluges and white-out struck Newcastle 29th Nov

Blizzards & thunder confirm

WeatherAction forecast advance

The end of November blizzards, white-out and thundersnow in North/East Britain dramatically confied WeatherAction's "wild weather" warnings that the Met Office would seriously under estimate the severity of the coming snow storms.

Piers Corbyn - Astrophysicist of WeatherAction says "Getting thundersnow and double the snow amounts in Met Office forecasts - both occurences of which we warned - was great. This snow hit was especially important because although our long range November forecast had gone very well up to 21st November, the end of the month was not wet and mild as we had originally expected, but snowy. Our new advance in our SolarLunarActionTechnique to SLAT5 explains why the circulation switched to blizzards, why relatively rare thundersnow was also likely and gives more confidence in our exceptionally cold winter forecast."

See: http://www.weatheraction.com/displayarticle.asp?a=276&c=5


© Weather Action TVS. Flers Corbyn TV @ accept no fability for any loss howsoever arising from use of forecast information. Application of forecasts is entirely at the user's risk

Hurricane Irene hitting Bahamas & East USA confirms in detail - to the day -WeatherAction 85 day ahead forecast.

• Weather Action warned of East USA grazing Hurricane - as in real time.

• Weather Action 2011 whole Season Atlantic Region Tropical Storms forecast* "fantastic accuracy" continuing.

HURRICANE IRENE – as now developing in detail 22-26 August 2011:



Is what WeatherAction Forecast* from 85 days ahead

Extract from Whole Season Forecast: entry 23-25 Aug, approx Formation/Rapid Development (FRD) period, A/B confidence, 'Extra Top Red enhanced' solar driver; Region of dates, Likely subsequent track and Top Strength:-

USA and continuing N / NE through coastal parts of E / NE USA	23-25	A/B	ET (Extra Top) Red. Enhanced	Atlantie near Bahamas / Florida	Westwards grazing / making landfall East USA and continuing N / NE through coastal parts	IMPORTANT

Key Messages

WeatherAction SLAT consistently predicts Atlantic Tropical storm formation (especially land-fallers) & consistently improves on standard projections for hurricane tracks. SLAT correctly predicted that IRENE would stay out to sea longer than standard models said.

WeatherAction Atlantic Tropical storms forecasts are a game changer and can reduce suffering and save lives.

So far however the US Government is showing no interest in these forecasts or blizzard warnings.

Using these forecasts would be an implicit rejection of the CO2 theory and standard meteorology.

Long Range forecasts for serious players WeatherAction on Line forecast Shop <u>http://bit.ly/dNhlNo</u>

- UK & Ireland maps and graphs
- Euromaps Region weather + Pressure scenarios
- USA maps scenarios, events, + Extreme weather.
- World Extremes: <u>Red Warnings(solar) +Tornado +Quake risk (RTQ)</u>
- Atlantic Region Trop Storms rest of season to end Nov.

May – Aug 2012: catastrophe for farming BI, Eu & USA

WeatherAction long range forecasts captured ALL the key features of Britain Ireland & NW Europe and USA weather May-August 2012:

- The NW Europe & BI extremely cold 3 weeks in May 2012
- Ongoing dull wet weather June August (BI) With Extreme heavy rain, thunderfloods Damaging hail and tornado events
- SE Europe Extreme heat in summer
- USA Extreme 'searing' heat and giant hail espec July
- Standard Meteorology failed miserably to give advance warnings

These extremes in 2012 – the year of no summer B+I, along with wild contrasts such as extreme heat in SE Europe and USA, - are all aspects of WeatherAction predicted ongoing 'Jet Stream South of normal (Eu)' circulation for the period which, is a key indicator of climate shift in a Mini Ice Age (Aka 'Little Ice Age')

The last comparable June – August period was 1816 – 'the year without a summer', in the last Little Ice Age - early 1800s of 'Constable Skies', Dickens Winters (BI+Eu) and the 'Dalton Minimum' of solar activity. There was also a major reduction in Arctic Sea ice in eg 1816 and 2012

The new Mini Ice Age is upon us!


WA13No5 on The Ides of March: For pdfs WANews go to Latest on www.weatheraction.com http://twitter.com/Piers Corbyn 0207939 9946 07958713320

WEATHERACTION -





11/12-16 Mar 2013 BC = 70% Brief Higher pressure 11/12" then blizzards followed by wet and windy weather mainly in West and South especially 13/14th. Mostly dry in North. Heavy rain., thunder and hail in South later.



"March 10th 1947** was the day of the thaw ending the late snowy cold winter of 1947 in Britain & Europe and there was a giant sunspot group at the centre of the solar disc. This year, three magnetic (22vr) solar cycles later, solar activity has been generally very low and this day marked deep cold" heralding more snow, on 12th, when snow-blizzards hit S/E England (Pic Folkstone) as WeatherAction forecasted in detail 25days ahead (see map).

"This is further evidence of the inevitable plunge from now - into the new Mini-Ice Age we warned of some years ago", said Piers Corbyn, astrophysicist of Weather Action.com. March 10th.


"The CO2 story is over. It has been pointing the world in the wrong direction for too long. The serious implications of the developing MIA to agriculture and the world economy through the next 25 to 35 years must be addressed." ** Piers' birthday!

- The CO2 story is over
- World cooling is now 'locked-in'
- Average solar activity way down
- Jet stream often way south
- Jet Stream develops wild waves
- giving very extreme weather
- events hail, thunder, floods etc.



Warmists have been fiddling ("selecting") data for years

BUT Whatever they do, even with 'new' data THE WORLD IS **COOLING WHILE CO2 CONTINUES** TO RISE



YOU NEED EASTER & APRIL NOW!

EASTER inc Mon April 1 forecast is FREE NOW – included with March 30d forecast -when you subscribe to B+I 15-45d forecasts. APRIL 45d comes on 15 March - Subscribe: http://www.weatheraction.com/wactmember5.asp

WeatherActionTV - 3 NEW Vids http://bit.ly/R48q37 : Winter 2012-13 Blizzards & Stratwarms; Challenge to CO2 warmists; Why CO2 fails "It's the Sun, not CO2!" Piers Corbyn's 'game changing' presentation June 5 2012 at 'The Greenest Event' Johannesburg South Africa http://t.co/Pbt3RjaX

For the record - <u>as warned May 2013</u>: Key Weather 2013 & coming decades

2013 Summer & into Sept Preliminary Notes (more at Meeting)

Brit+Ire - Mostly wet cold and cloudy. Large hail. Some floods (Full details in forecasts issued) West Europe - often unsettled (Full details will be in WeatherAction Eu forecasts) SE/E Europe - heatwaves & drought later. (ditto) USA - June prob Wet. July, Aug & Sept some heatwaves N/E with extreme heat and forest fires likely in N/E in mid-Sept (Full details will be in WA USA forecasts)

2013 October

Japan – Early Oct tornadoes likely. USA - prob largely dry / 'Indian' Summer (to be re-visited) <u>N France / Low Countries & SE England - late Oct a very major damaging storm (75% confid, tbc)</u> Australia & New Zealand – likely extreme events (storms) ~ same times

Nov and Winter months – forecasts not yet produced.

West Europe Britain & Ireland probably not exceptional (as far as looked).

General next 25yrs (Nh+Sh) Wild Jet Stream => Extreme events

More wet / very wet cold summers with severe hail and tornadoes in Europe, Br+Ir, USA. Some contrasting heatwaves when jet stream stuck. Both bad for agriculture More very EXTREME (colliding air mass) temperate zone STORMS - like Hurr Sandy 2012 (USA), The Tempest 1703 (Eu/UK) More cold and snowy winters – becoming v extreme – Bad news More late cold and snowy Springs - Bad for agriculture

Some Recent weather – Brit+Ire & USA October Storms 2013 Piers' late Oct storms both sides Atlantic



Piers Corbyn's Storm* 28 Oct 2013 in Britain, Ireland and NW Europe, predicted 6 weeks ahead, and ~simultaneous extreme storm events specifically predicted for USA and associated storms across the world were preceded by extreme solar activity - remarkable for its strength and magnetic interconnectedness on 25th & 26th Oct. (see solar movie via http://bit.ly/16KQnWY (*named by acclaim of WeatherAction forecast users).

This super-large scale series of solar events and associated activity had a major ionospheric impact** and drove our Weather Action prolonged Top Red (R5) weather period 27-30 Oct, *Piers Corbyn's Severe Storm of Oct 28* and the Severe South Central USA storms ~29-30th. {** Rather like the solar eruption which disturbed the ionosphere, moved the Jet Stream 15 Aug 2010 and ended the W Russian Heatwave <u>http://www.weatheraction.com/docs/WANews13No43.pdf</u> slides 17-19}

"The **R5** carried waves of extremes" said Piers. "The Storm ramped up in the Low countries, Denmark & beyond (+29th) which with destruction in UK confirmed our warned 'damage on a par with The Great Storm 16 Oct 1987' despite as we expected UK winds mostly not reaching such levels".

Everything Piers Corbyn warned about his UK-Euro storm from 6 weeks to 6 hours ahead was confirmed while UK MetO knew nothing or dithered - underestimated & failed to issue enough Red Warnings. See http://bit.ly/19rwAPN, http://www.weatheraction.com/docs/WANews13No44.pdf, http://www.weatheraction.com/docs/WANews13No45.pdf



Tornadoes USA, Storms Atlantic Britain + Europe & Pacific typhoons develop on WeatherAction R5 Solar-based cues; Yet still warmist fraudsters blame CO2

Super Typhoon Yolanda / Haiyan powered-up to top Category 5 in WeatherAction Top Red, R5, solar factor period ~4-6 Nov

Date: 03-11 NOV 2013

Super Typhoon-5 HAIYAN	
	WIND PR STAT
1 6.50 155.40 11/03/20Z	35 - TROPICAL STORM
1 6.40 156.00 11/03/06Z	25 - TROPICAL DEPRESSION
2 6.40 154.30 11/03/12Z	
3 6.40 152.70 11/03/18Z	30 - TROPICAL DEPRESSION
4 6.00 151.60 11/04/00Z	35 - TROPICAL STORM
4 6.00 151.00 11/04/14Z	35 - TROPICAL STORM
5 6.00 149.50 11/04/20Z	65 - TYPHOON-1
6 6.10 148.30 11/04/12Z	45 - TROPICAL STORM
7 6.60 146.70 11/05/082	35 - TROPICAL STORM
8 0.40 145.90 11/05/00Z	65 - TYPHOON-1
9 6.40 144.50 11/05/06Z	65 - TYPHOON-1
10 6.90 143.00 11/05/12Z	90 - TYPHOON-2
11 7.10 141.20 11/05/18Z	105 • TYPHOON-3
12 7.40 139.60 11/06/00Z	130 - SUPER TYPHOON-4
13 7.60 138.00 11/06/06Z	135 - SUPER TYPHOON-4
14 7.90 136:20 11/06/12Z	
15 8.20 134.40 11/06/18Z	
16 8.60 132.80 11/07/00Z	
18 10.20 129.10 11/07/122	
19 10.60 127 00 11/07/18Z	
20 11.00 124.80 11/08/002	
21 11.40 122.60 11/08/062	
22 11.80 120.60 11/08/12Z	
23 12:40 118:10 11/08/182	
24 12:30 116:20 11/09/002	
25 13.50 114.80 11/09/06Z	
26 14.50 113.20 11/09/122	
27 15:50 111 40 11/09/182	
28 16.30 110.20 11/10/002	
29 17.80 109.00 11/10/06Z	
30 19.30 108.10 11/10/122	
31 20.50 107.30 11/10/182	
32 21.80 107.20 11/11/00Z	60 - TROPICAL STORM

WeatherAction Solar Factors ('RTQ') forecast R5 4-6 Nov (+/-1d), yellowed Left on Haiyan/Yolanda record Storm track including Philippines + R5 => Power Up


For all the 3* **R5** periods this year which occurred while a Tropical Storm/Typhoon was on a track including the Philippines the storm powered up to its highest category during that **R5**. *Nari, Haiyan/Yolanda, TS30, see http://weather.unisys.com/hurricane/w_pacific/2013/index.php

"But for our R5 this would have been a more normal typhoon", said Piers Corbyn astrophysicist of WeatherAction.com. "Our forecasts can help make better warnings. The idea that this tragedy was anything to do with CO2 and the fictional Man-Made Climate Change is a baseless lie which holds back science which could help potential Typhoon victims and serves only those playing the pathetic, shameful 'CO2/Climate Reparations begging bowl game' – a fraudulent gravy train."




HIDE THE RISE! The Warmists Arctic Sea Ice trick 2013

What the BBC did not report



Solar-magnetic activity with Lunar modulation drives weather, climate and CO2 – NOT other way around!




Connections 'OFF' = Ice Ages – The norm of sun-earth links in the last million years

WE HAVE NEVER HAD IT SO GOOD

Where is World Climate Going? Solar activity predicts Major COOLING

Acknowledgements below



The developing MIA (LIA) circulation on now

(Also <u>http://www.weatheraction.com/displayarticle.asp?a=451&c=5</u>) is **Solar Climate Change** here & now & is characterized by:

- 1. Sun generally quieter & magnetically more confused, solar wind slower.
- 2. Very large amplitude swings in the Jet stream (NH and SH) with the Jet stream average position shifted equator-wards => More 'Sandy's'
- 3. General Cooling especially of temperate zones and simultaneous warm and cold (larger) regions marking different 'ends' of jet stream large amplitude wave effects.
- 4. Very rapid changes in weather particularly in temperate zones
- 5. Rapid changes in standard parameters NAO, AO etc
- 6. Stark extremes including more giant hail and tornadic developments (higher lapse rate)
- 7. An increase in major earthquakes and volcanism
- 8. Serious limitations of the powers of standard meteorology even 1 or 2 days ahead at times. This was in evidence through most of April and May 2012. These problems will largely continue for at least 25 years and no amount of tweeking standard models or increasing computer power even a thousand fold will overcome it. Standard Meteorology is past it's peak.
- SLAT8 is designed to better predict in *the approach to the New Little Ice Age circulation patterns* the world is now in and uses a wider range of look-back weather data (NB we are constantly seeking more) and considers more rapid change options which may need more modification or changes (if rules suggest) of Look-Back maps particularly under potential sudden Jet stream switches and consequent sudden warming or sudden cooling in regions. SLAT 8 will also (as previous SLATs but more effectively) be able to give long range warning of impending errors in standard Meteorology.
- A general inference of SLAT is that the Little Ice Ages** and periods such as The Medieval warm period and Bronze age were consequences of solar-lunar driven Jet stream shifts and hence covered the whole of the temperate zones in both North and South hemispheres at around the same time.
 - ** Eg the Maunder Minimum around 350 years ago and the Dalton Minima around 200 years ago.

REAL CLIMATE CHANGE IS HAPPENING NOW, DRIVEN BY THE SUN & NOTHING TO DO WITH CO2!

What should you do?



1. ENJOY life! Enjoy the planet!

Don't feel guilty about 'carbon footprints'. CO2 is the Gas Of Life (GOL)! More GOL increases plant & animal life. GOL (CO2) IS NOT A POLLUTANT. MORE CO2 IS GOOD NOT BAD!!!!

2. Accept Man can't change Climate!

The Problem is Climate Change POLICY. 'Climate Science' lacks integrity. Prove & predict! Standards of science must apply to Climate.

3. STOP Carbon reductions, Carbon Tax & Trading => SAVE UK STEEL <=

NO PRAYER WHELLS (Wind farms) MONEY BACK on Green Electricity Charges - Theft Your electricity bill has gone up 25% for the Green Con and is set to double

- 4. KEEP honest green policies to reduce smoke & chemical pollution and defend biodiversity.
- 5. USE LONG RANGE Scientific Solar-Lunar Weather Forecasts & Prepare for the developing Mini Ice Age



www.PCC15.org Challenging the 'groupthink' of COP21

Stuart Agnew MEP, Piers Corbyn (WeatherAction), Ed Flaherty (International lawyer) Philip Foster (author), Roger Helmer MEP, Tom Harris (climate journalist), Donna Laframboise (journalist), Viscount Monckton, Dr Patrick Moore (ecologist), Prof. Nils-Axel Mörner (sea level expert), Prof. Ian Plimer (geologist), Prof. Murry Salby (atmospheric physicist), Roger Tattersall ('Tallbloke' science blog) & more - see website Watch on-line

Lectures etc. will be uploaded to the website each day of the Conference

Nous sommes Paris

Support Paris Climate Challenge.

- Buy WeatherAction forecasts
- That income will be used to help the event

Let <u>www.PCC15.org</u> know if you want to contribute directly

WILD JET STREAM => More Weather Extremes recently worldwide Nothing to do with CO2 or man-kind in anyway. The (Man-Made) Climate change attributions are just made-up

USA and Europe – More EXTREMELY cold winters and winter spells

- NW Europe Dec 2010
- USA winter 2012-13 & 2013-14 Early extreme contrasts NE cold + SW hot Nov 2015
- Middle East & Africa More floods cold blasts and some heat blasts
- Middle East very cold winter 2014-15
- Egypt very cold winter blasts 2014-15
- Algeria Heatwaves 2015
- Southern Africa Malawi , South Africa Floods Dec-Jan 2014-15
- South Sudan many floods 2015
- Kenya floods Nov 2015
- Somalia floods Nov 2015

- Some of these get attributed to El Nino but the severity of events associated with that are enhanced by the wild Jet Stream